

Page 1/11

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: LEMON 29914/44

Article number: 23720200 UFI: 9K6E-710R-F00D-UYWN The product does not contain any nanomaterials. 1.2 Relevant identified uses of the substance or mixture and uses advised against Life cycle stages IS Use at industrial Sites Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites Product category PC28 Perfumes, fragrances Technical function Food flavouring Application of the substance / the mixture Flavouring agents Food Uses advised against Not for personal use in this form or concentration

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: VIORYL S.A. 28th km Athens - Lamia Nat. Road Afidnes, 190 14 Greece +30 22950 45100 regulatory@vioryl.gr

## Further information obtainable from: Regulatory Affairs Department

**1.4 Emergency telephone number:** Poison centre (+30) 210 7793777

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.

G

GHS08 health hazard

Asp. Tox. 1

H304 May be fatal if swallowed and enters airways.

GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Page 2/11

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

#### Trade name: LEMON 29914/44

(Contd. of page 1)



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. **Hazard pictograms** 



#### Signal word Danger

#### Hazard-determining components of labelling:

(R)-p-mentha-1,8-diene Citrus limon oil Citral Linalool beta-Pinene terpinolene Pelargonium graveolens oil (Geranium oil Egyptian) **Hazard statements** H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see on this label). Do NOT induce vomiting. P331 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards **Results of PBT and vPvB assessment** 

**PBT:** Not applicable.

vPvB: Not applicable.



Page 3/11

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

#### Trade name: LEMON 29914/44

(Contd. of page 2)

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

#### **Dangerous components:**

	CAS: 5989-27-5	(R)-p-mentha-1,8-diene	>50–≤100%	
	EINECS: 227-813-5	🗞 🚯 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚯 Aquatic Acute 1, H400 (M=1); 🚸 Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412		
	CAS: 8008-56-8	Citrus limon oil	>10-<25%	
	EINECS: 284-515-8	🗞 🚯 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 Aquatic Chronic 2, H411; 🕀 Skin Irrit. 2, H315; Skin Sens. 1, H317		
	CAS: 5392-40-5	Citral	>2.5-<10%	
	EINECS: 226-394-6	🔆 🗘 Skin Irrit. 2, H315; Skin Sens. 1, H317		
	CAS: 78-70-6	Linalool	≥0.1–<1%	
	EINECS: 201-134-4	🗘 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317		
	CAS: 127-91-3	beta-Pinene	≥0.25–<1%	
	EINECS: 204-872-5	<ul> <li>Flam. Liq. 3, H226; </li> <li>Asp. Tox. 1, H304; </li> <li>Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); </li> <li>Skin Irrit. 2, H315; Skin Sens. 1, H317</li> </ul>		
	CAS: 586-62-9	terpinolene	≥0.1–<0.25%	
	EINECS: 209-578-0	) 🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ሱ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317		
	CAS: 8000-46-2	Pelargonium graveolens oil (Geranium oil Egyptian)	≥0.1–<0.25%	
	EINECS: 290-140-0	) 🚸 Asp. Tox. 1, H304; 🚸 Eye Dam. 1, H318; 🚸 Aquatic Chronic 2, H411; 아 Skin Irrit. 2, H315; Skin Sens. 1, H317		
Regulation (EC) No 648/2004 on detergents / Labelling for contents				

perfumes (CITRAL, linalool, citronellol) Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.



Page 4/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

Trade name: LEMON 29914/44

(Contd. of page 3)

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed. Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

#### Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.



Page 5/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

#### Trade name: LEMON 29914/44

(Contd. of page 4)

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

## Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** 



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical propert	
General Information	
Physical state	F
Colour:	Р
Odour:	C
Odour threshold:	N
Melting point/freezing point:	U

Fluid Pale yellow to yellow Characteristic Not determined. Undetermined.



Page 6/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

(Contd. of page 5)

#### Trade name: LEMON 29914/44

Boiling point or initial boiling point and boiling range 176 °C (CAS: 8008-56-8 Citrus limon oil) Flammability Flammable. Lower and upper explosion limit 0.7 Vol % (CAS: 5989-27-5 (R)-p-mentha-1,8-diene) Lower: 6.1 Vol % (CAS: 5989-27-5 (R)-p-mentha-1,8-diene) Upper: 55-56 °C (CAS: 5989-27-5 (R)-p-mentha-1,8-diene) Flash point: Auto-ignition temperature: 255 °C (CAS: 5989-27-5 (R)-p-mentha-1,8-diene) **Decomposition temperature:** Not determined. Mixture is non-soluble (in water). pН Viscosity: **Kinematic viscosity** Not determined. **Dynamic:** Not determined. Solubility water: Insoluble (10%) alcohols: Partly soluble. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure at 20 °C: 2.3 hPa (CAS: 5989-27-5 (R)-p-mentha-1,8-diene) Density and/or relative density Density at 20 °C: 0.828-0.868 g/cm<sup>3</sup> **Relative density** Not determined. Not determined. Vapour density 9.2 Other information **Appearance:** Form: Oily Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. **Explosive properties:** Not determined. Solvent content: **Organic solvents:** 70.7 % 70.74 % VOC (EC) VOCV (CH) 70.74 % 0.0 % Solids content: **Refractive index** 1.466-1.476 **Change in condition** Not determined. **Evaporation rate** Information with regard to physical hazard classes **Explosives** Void **Flammable gases** Void Aerosols Void **Oxidising gases** Void Gases under pressure Void **Flammable liquids** Flammable liquid and vapour. **Flammable solids** Void Self-reactive substances and mixtures Void Void **Pyrophoric liquids Pyrophoric solids** Void Self-heating substances and mixtures Void



Page 7/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

Trade name: LEMON 29914/44

(Contd. of page 6)

Substances and mixtures, which emit flammable gases in				
contact with water	Void			
Oxidising liquids	Void			
Oxidising solids	Void			
Organic peroxides	Void			
Corrosive to metals	Void			
Desensitised explosives	Void			

**SECTION 10: Stability and reactivity** 

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

CAS: 5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

CAS: 5392-40-5 Citral

Oral LD50 4960 mg/kg (rat)

### CAS: 78-70-6 Linalool

Oral LD50 2790 mg/kg (rat)

Dermal LD50 5610 mg/kg (rabbit)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.



Page 8/11

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

(Contd. of page 7)

#### Trade name: LEMON 29914/44

12.5 Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Remark: Very toxic for fish Toxic for fish Additional ecological information: **General notes:** Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms Toxic for aquatic organisms

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system. **European waste catalogue** 

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP13 Sensitising

HP14 Ecotoxic

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA 14.3 Transport hazard class(es)

UN1197

1197 EXTRACTS, LIQUID, ENVIRONMENTALLY HAZARDOUS EXTRACTS, LIQUID, MARINE POLLUTANT Extracts, liquid

ADR, IMDG



Class

3 Flammable liquids.



Page 9/11

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31						
Printing date 22.05.2024	Version number 1	Revision: 22.05.2024				
Trade name: LEMON 29914/44						
		(Contd. of page 8)				
Label	3					
ΙΑΤΑ						
Class	3 Flammable liquids.					
Label	3					
14.4 Packing group						
ADR, IMDG, IATA 14.5 Environmental hazards:	III Broduct contains onvironmontally bazardous substa	acas: (B) n mantha 1.9				
14.5 Environmental hazards:	Product contains environmentally hazardous substandiene	ices: (R)-p-mentila-1,8-				
Marine pollutant:	Symbol (fish and tree)					
Special marking (ADR):	Symbol (fish and tree)					
14.6 Special precautions for user	Warning: Flammable liquids.					
Hazard identification number (Kemler code):	30					
EMS Number:	F-E,S-D					
Stowage Category 14.7 Maritime transport in bulk according to IM	A					
instruments	Not applicable.					
	Not applicable.					
Transport/Additional information:						
ADR						
Limited quantities (LQ)	5L					
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml					
	Maximum net quantity per outer packaging: 1000 m	I				
Transport category	3	•				
Tunnel restriction code	D/E					
IMDG						
Limited quantities (LQ)	5L					
Excepted quantities (EQ)	Code: E1					
	Maximum net quantity per inner packaging: 30 ml					
UN "Model Regulation":	Maximum net quantity per outer packaging: 1000 m UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTAL					
-	UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTAL					
SECTION 15: Regulatory information						

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category E1 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3



Page 10/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

#### Trade name: LEMON 29914/44

(Contd. of page 9)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed. **REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### **Relevant phrases**

H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
Department issuing SDS: Regulatory Affairs department Contact:

Regulatory Affairs department

regulatory@vioryl.gr

Date of previous version: 22.05.2024

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative



Page 11/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024

Version number 1

Revision: 22.05.2024

(Contd. of page 10)

#### Trade name: LEMON 29914/44

ATE: Acute toxicity estimate values Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 **\* Data compared to the previous version altered.**