

Page 1/11

Revision: 22.11.2024

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: BUTTER 14906/21

Article number: 22595000

UFI:

N4KG-9056-C00T-158R

The product does not contain any nanomaterials.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Life cycle stages IS Use at industrial Sites

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC28 Perfumes, fragrances

**Technical function** Food flavouring

Application of the substance / the mixture

Flavouring agents

Food

Uses advised against Not for personal use in this form or concentration

#### 1.3 Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

VIORYL S.A.

28th km Athens - Lamia Nat. Road

Afidnes, 190 14

Greece

+30 22950 45100

regulatory@vioryl.gr

Further information obtainable from: Regulatory Affairs Department

## 1.4 Emergency telephone number:

Poison centre

(+30) 210 7793777

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

(Contd. on page 2)



Page 2/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 1)



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

## 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation. **Hazard pictograms** 







GHS02

GHS07

Signal word Warning

## Hazard-determining components of labelling:

piperonal

Diacetyl

## **Hazard statements**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 3)



Page 3/11

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 2)

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

#### **Dangerous components:**

CAS: 121-33-5 vanillin >10-≤25%

EINECS: 204-465-2 (1) Eye Irrit. 2, H319

CAS: 64-17-5 ethanol >2.5-≤10%

EINECS: 200-578-6 🏵 Flam. Liq. 2, H225

CAS: 120-57-0 piperonal ≥3–≤10%

EINECS: 204-409-7 🗞 Repr. 2, H361fd; 😲 Skin Sens. 1, H317

CAS: 107-92-6 butyric acid ≥1–≤2.5%

EINECS: 203-532-3 📀 Skin Corr. 1B, H314; Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302

CAS: 4940-11-8 Ethyl maltol ≤2.5%

EINECS: 225-582-5 (1) Acute Tox. 4, H302

CAS: 431-03-8 Diacetyl ≥0.1-<1%

EINECS: 207-069-8 🚯 Flam. Liq. 2, H225; 🛞 Acute Tox. 3, H331; 🗞 STOT RE 2, H373; 📀 Eye Dam. 1, H318; 🗘 Acute

Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317

# Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (VANILLIN)

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

## After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)



Page 4/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

## Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

## Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.



Page 5/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 4)

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

TWA (Greece) Long-term value: 1900 mg/m³, 1000 ppm

CAS: 431-03-8 Diacetyl

TWA (Greece) Short-term value: 0.36 mg/m³, 0.1 ppm

Long-term value: 0.07 mg/m<sup>3</sup>, 0.02 ppm

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

## **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation


## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### **Eye/face protection**





Page 6/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

78 °C (CAS: 64-17-5 ethanol)

Flammable.

Trade name: BUTTER 14906/21

(Contd. of page 5)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid

Colour:Pale yellow to yellowOdour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling range

**Flammability** 

Lower and upper explosion limit

Lower:2.6 Vol % (CAS: 57-55-6 Propylene glycol)Upper:12.6 Vol % (CAS: 57-55-6 Propylene glycol)

**Flash point:** 23.5–60 °C (CAS: 64-17-5 ethanol) **Auto-ignition temperature:** 371 °C (CAS: 57-55-6 Propylene glycol)

**Decomposition temperature:** Not determined.

**pH** Mixture is non-soluble (in water).

Viscosity:

**Kinematic viscosity Dynamic:**Not determined.
Not determined.

Solubility

water:Insoluble (10%)alcohols:Partly soluble.Partition coefficient n-octanol/water (log value)Not determined.

Vapour pressure at 20 °C: 0.2 hPa (CAS: 57-55-6 Propylene glycol)

Density and/or relative density

Density at 20 °C:1.032–1.072 g/cm³Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Oily

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

Solvent content:

 Organic solvents:
 70.9 %

 VOC (EC)
 70.87 %

 VOCV (CH)
 6.00 %

 Solids content:
 22.3 %

 Refractive index
 1.451-1.461

(Contd. on page 7)



Page 7/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 6)

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoid

Flammable liquids Flammable liquid and vapour.

Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

**Corrosive to metals** 

**Desensitised explosives** 

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

Void

Void

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)** 

Oral LD50 30769 mg/kg Inhalative LC50/4 h 1500 mg/l

CAS: 121-33-5 vanillin

Oral LD50 1580 mg/kg (rat)

CAS: 64-17-5 ethanol

Oral LD50 7060 mg/kg (rat)



Page 8/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 7)

Inhalative LC50/4 h 20000 mg/l (rat)

**CAS: 120-57-0 piperonal** 

Oral LD50 2700 mg/kg (rat)

CAS: 107-92-6 butyric acid

Oral LD50 2000 mg/kg (rat)
Dermal LD50 530 mg/kg (rabbit)

CAS: 431-03-8 Diacetyl

Oral LD50 1580 mg/kg (rat)

**Primary irritant effect:** 

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye irritation.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

None of the ingredients is listed.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

**General notes:** 

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)



Page 9/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 8)

European waste catalogue

HP3 Flammable

**HP10** Toxic for reproduction

**Uncleaned packaging:** 

**Recommendation:** Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN number or ID number

ADR. IMDG. IATA UN1197

14.2 UN proper shipping name

14.3 Transport hazard class(es)

ADR 1197 EXTRACTS, LIQUID **IMDG** EXTRACTS, LIQUID IATA Extracts, liquid

ADR, IMDG, IATA



Class 3 Flammable liquids.

Label 3

14.4 Packing group

ADR. IMDG. IATA

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code): **EMS Number:** F-E,S-D **Stowage Category** 

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

## **Transport/Additional information:**

ADR

Limited quantities (LQ) 5L

Code: E1 **Excepted quantities (EQ)** 

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

**Transport category** 3 **Tunnel restriction code** D/E

**IMDG** 

Limited quantities (LQ) 5L **Excepted quantities (EQ)** Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

> > (Contd. on page 10)



Page 10/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 9)

UN 1197 EXTRACTS, LIQUID, 3, III

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 120-57-0 piperonal: 1

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 120-57-0 piperonal: 1

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

## **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS: Regulatory Affairs department



Page 11/11

# Safety data sheet

# according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024 Version number 2 (replaces version 1) Revision: 22.11.2024

Trade name: BUTTER 14906/21

(Contd. of page 10)

#### Contact:

Regulatory Affairs department

regulatory@vioryl.gr

Date of previous version: 22.11.2024 Version number of previous version: 1

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

<sup>\*</sup> Data compared to the previous version altered.