

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

## \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name:** BANANA 17214/21

**Article number:** 23542000

**UFI:**

W61G-K060-1009-QWG1

The product does not contain any nanomaterials.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Life cycle stages IS** Use at industrial Sites

**Sector of Use SU3** Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category PC28** Perfumes, fragrances

**Technical function** Food flavouring

**Application of the substance / the mixture**

Flavouring agents

Food

**Uses advised against** Not for personal use in this form or concentration

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

VIORYL S.A.

28th km Athens - Lamia Nat. Road

Afidnes, 190 14

Greece

+30 22950 45100

regulatory@vioryl.gr

**Further information obtainable from:** Regulatory Affairs Department

### 1.4 Emergency telephone number:

Poison centre

(+30) 210 7793777

## \* SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

Trade name: BANANA 17214/21

(Contd. of page 1)

**Hazard pictograms**

GHS02 GHS07

**Signal word** Warning**Hazard-determining components of labelling:**

benzyl alcohol

Eugenia caryophyllus flower oil (clove bud oil)

Citrus sinensis (L.Osbeck) (orange oil)

**Hazard statements**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.


P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.\* **SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 100-51-6 benzyl alcohol &gt;10–≤25%

EINECS: 202-859-9  Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317  
ATE: LD50 oral: 1200 mg/kg

CAS: 123-92-2 1-methylbutyl acetate &gt;2.5–≤10%

EINECS: 204-662-3  Flam. Liq. 3, H226, EUH066

CAS: 106-27-4 Isoamyl butyrate &gt;2.5–≤10%

EINECS: 203-380-8  Flam. Liq. 3, H226

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 2)

CAS: 141-78-6	ethyl acetate	≤2.5%
EINECS: 205-500-4	⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
CAS: 84961-50-2	Eugenia caryophyllus flower oil (clove bud oil)	≥0.1–<1%
EINECS: 284-638-7	⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 8028-48-6	Citrus sinensis (L.Osbeck) (orange oil)	≥0.1–<0.25%
EINECS: 232-433-8	⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

perfumes (benzyl alcohol, Eugenia Caryophyllus Oil, Citrus Aurantium Peel Oil)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:**

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.**\* SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** No special measures required.**\* SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

(Contd. on page 4)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 3)

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Store away from foodstuffs.**Further information about storage conditions:**

Keep container tightly sealed.

Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 123-92-2 1-methylbutyl acetate**TWA (Greece) Short-term value: 800 mg/m<sup>3</sup>, 150 ppmLong-term value: 530 mg/m<sup>3</sup>, 100 ppm**CAS: 141-78-6 ethyl acetate**TWA (Greece) Short-term value: 1468 mg/m<sup>3</sup>, 400 ppmLong-term value: 734 mg/m<sup>3</sup>, 200 ppm**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 4)

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Tightly sealed goggles

## \* SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information**

<b>Physical state</b>	Fluid
<b>Colour:</b>	colourless to pale yellow
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	142 °C (CAS: 123-92-2 1-methylbutyl acetate)
<b>Flammability</b>	Flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	1.3 Vol % (CAS: 100-51-6 benzyl alcohol)
<b>Upper:</b>	13 Vol % (CAS: 100-51-6 benzyl alcohol)
<b>Flash point:</b>	23.5–60 °C (CAS: 123-92-2 1-methylbutyl acetate)
<b>Auto-ignition temperature:</b>	371 °C (CAS: 57-55-6 Propylene glycol)

(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 5)

<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Mixture is non-soluble (in water).
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	soluble (0,1%)
<b>alcohols:</b>	Partly soluble.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure at 20 °C:</b>	0.2 hPa (CAS: 57-55-6 Propylene glycol)
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	0.997–1.037 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.

**9.2 Other information****Appearance:****Form:**

Oily

**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

**Solvent content:****Organic solvents:**

94.5 %

**VOC (EC)**

94.52 %

**VOCV (CH)**

13.12 %

**Solids content:**

0.0 %

**Refractive index**

1.433-1.443

**Change in condition****Evaporation rate**

Not determined.

**Information with regard to physical hazard classes****Explosives**

Void

**Flammable gases**

Void

**Aerosols**

Void

**Oxidising gases**

Void

**Gases under pressure**

Void

**Flammable liquids**

Flammable liquid and vapour.

**Flammable solids**

Void

**Self-reactive substances and mixtures**

Void

**Pyrophoric liquids**

Void

**Pyrophoric solids**

Void

**Self-heating substances and mixtures**

Void

**Substances and mixtures, which emit flammable gases in contact with water**

Void

**Oxidising liquids**

Void

(Contd. on page 7)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

Trade name: BANANA 17214/21

(Contd. of page 6)

Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

#### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### \* SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

##### ATE (Acute Toxicity Estimates)

Oral LD50 10713 mg/kg (ATE)

##### CAS: 100-51-6 benzyl alcohol

Oral LD50 1200 mg/kg (ATE)  
1230 mg/kg (rat)

Dermal LD50 2000 mg/kg (rabbit)

##### CAS: 123-92-2 1-methylbutyl acetate

Oral LD50 16000 mg/kg (rat)

##### CAS: 141-78-6 ethyl acetate

Oral LD50 5620 mg/kg (rabbit)

Inhalative LC50/4 h 1600 mg/l (rat)

##### CAS: 84961-50-2 Eugenia caryophyllus flower oil (clove bud oil)

Oral LD50 1370 mg/kg (rat)

Dermal LD50 1200 mg/kg (rabbit)

##### Primary irritant effect:

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Causes serious eye irritation.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 7)

**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects****Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**\* SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**European waste catalogue**

HP3 Flammable

HP13 Sensitising

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**\* SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN1197

**14.2 UN proper shipping name**

ADR

1197 EXTRACTS, LIQUID

IMDG

EXTRACTS, LIQUID

IATA

Extracts, liquid

(Contd. on page 9)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

Trade name: BANANA 17214/21

(Contd. of page 8)

**14.3 Transport hazard class(es)**

ADR, IMDG, IATA



Class	3 Flammable liquids.
Label	3
<b>14.4 Packing group</b>	
ADR, IMDG, IATA	III
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
<b>Hazard identification number (Kemler code):</b>	30
<b>EMS Number:</b>	F-E,S-D
<b>Stowage Category</b>	A
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.

**Transport/Additional information:**

ADR

Limited quantities (LQ)  
 Excepted quantities (EQ)

5L  
 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

Transport category  
 Tunnel restriction code

3  
 D/E

IMDG

Limited quantities (LQ)  
 Excepted quantities (EQ)

5L  
 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 10)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 9)

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**\* SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

**Department issuing SDS:** Regulatory Affairs department**Contact:**

Regulatory Affairs department  
regulatory@vioryl.gr

**Date of previous version:** 08.07.2022**Version number of previous version:** 3**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 4 (replaces version 3)

Revision: 22.11.2024

**Trade name: BANANA 17214/21**

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**