

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

## \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name:** BLACK BERRY 899-D/31

**Article number:** 22248900

**UFI:**

ONAG-803N-Q00R-GFK4

The product does not contain any nanomaterials.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Life cycle stages IS** Use at industrial Sites

**Sector of Use SU3** Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category PC28** Perfumes, fragrances

**Technical function** Food flavouring

#### Application of the substance / the mixture

Flavouring agents

Food

**Uses advised against** Not for personal use in this form or concentration

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

VIORYL S.A.

28th km Athens - Lamia Nat. Road

Afidnes, 190 14

Greece

+30 22950 45100

regulatory@vioryl.gr

**Further information obtainable from:** Regulatory Affairs Department

### 1.4 Emergency telephone number:

Poison centre

(+30) 210 7793777

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 1)

**Hazard pictograms**

GHS02 GHS05

**Signal word** Danger**Hazard-determining components of labelling:**

L-Lactic acid (2-hydroxy propionic acid)  
acetic acid 99%  
propionic acid

**Hazard statements**

H226 Flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH208 Contains Pentadecan-15-olide (macrolide), Buchu leaf oil. May produce an allergic reaction.

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 64-17-5 ethanol

&gt;2.5–≤10%

EINECS: 200-578-6  Flam. Liq. 2, H225

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 2)

CAS: 79-33-4	L-Lactic acid (2-hydroxy propionic acid)	≥5–≤10%
EINECS: 201-196-2	⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318, EUH071	
CAS: 64-19-7	acetic acid 99%	≥1–≤2.5%
EINECS: 200-580-7	⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318	
	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %	
	Skin Corr. 1B; H314: 25 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
CAS: 79-09-4	propionic acid	≥1–≤2.5%
EINECS: 201-176-3	⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335	
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
	STOT SE 3; H335: C ≥ 10 %	
CAS: 118-71-8	Maltol	≤2.5%
EINECS: 204-271-8	⚠ Acute Tox. 4, H302	
CAS: 121-33-5	vanillin	≤2.5%
EINECS: 204-465-2	⚠ Eye Irrit. 2, H319	
CAS: 106-02-5	Pentadecan-15-olide (macrolide)	≥0.25–<1%
EINECS: 203-354-6	⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	
CAS: 68650-46-4	Buchu leaf oil	≥0.1–<0.25%
EINECS: 283-474-3	⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

perfumes (VANILLIN)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

(Contd. on page 4)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BLACK BERRY 899-D/31

(Contd. of page 3)

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 5)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 4)

**Further information about storage conditions:**

Keep container tightly sealed.

Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 64-17-5 ethanol**TWA (Greece) Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm**CAS: 64-19-7 acetic acid 99%**TWA (Greece) Short-term value: 37 mg/m<sup>3</sup>, 15 ppmLong-term value: 25 mg/m<sup>3</sup>, 10 ppm**CAS: 79-09-4 propionic acid**TWA (Greece) Short-term value: 60 mg/m<sup>3</sup>, 20 ppmLong-term value: 30 mg/m<sup>3</sup>, 10 ppm**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BLACK BERRY 899-D/31

(Contd. of page 5)

**Eye/face protection**

Tightly sealed goggles

## \* SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

colourless to pale yellow

**Odour:**

Characteristic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

78 °C (CAS: 64-17-5 ethanol)

**Flammability**

Flammable.

**Lower and upper explosion limit****Lower:**

2.6 Vol % (CAS: 57-55-6 Propylene glycol)

**Upper:**

15 Vol % (CAS: 64-17-5 ethanol)

**Flash point:**

23.5–60 °C (CAS: 64-17-5 ethanol)

**Auto-ignition temperature:**

371 °C (CAS: 57-55-6 Propylene glycol)

**Decomposition temperature:**

Not determined.

**pH**

Mixture is non-soluble (in water).

**Viscosity:****Kinematic viscosity**

Not determined.

**Dynamic:**

Not determined.

**Solubility****water:**

soluble (0,1%)

**alcohols:**

Partly soluble.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure at 20 °C:**

59 hPa (CAS: 64-17-5 ethanol)

**Density and/or relative density****Density at 20 °C:**0.998–1.038 g/cm<sup>3</sup>**Relative density**

Not determined.

**Vapour density**

Not determined.

**9.2 Other information****Appearance:****Form:**

Oily

**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

**Solvent content:****Organic solvents:**

79.1 %

(Contd. on page 7)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BLACK BERRY 899-D/31

(Contd. of page 6)

VOC (EC)	79.10 %
VOCV (CH)	11.39 %
Solids content:	2.5 %
Refractive index	1.43-1.44
Change in condition	
Evaporation rate	Not determined.

### Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

#### ATE (Acute Toxicity Estimates)

Oral LD50 144000 mg/kg (rat)

#### CAS: 64-17-5 ethanol

Oral LD50 7060 mg/kg (rat)

(Contd. on page 8)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 7)

Inhalative LC50/4 h 20000 mg/l (rat)

**CAS: 79-33-4 L-Lactic acid (2-hydroxy propionic acid)**

Oral LD50 3543 mg/kg (rat)

**CAS: 64-19-7 acetic acid 99%**

Oral LD50 3310 mg/kg (rat)

Dermal LD50 1060 mg/kg (rabbit)

**CAS: 79-09-4 propionic acid**

Oral LD50 2600 mg/kg (rat)

Dermal LD50 500 mg/kg (rabbit)

**CAS: 118-71-8 Maltol**

Oral LD50 1440 mg/kg (rat)

Dermal LD50 &gt;2000 mg/kg (rat)

**CAS: 121-33-5 vanillin**

Oral LD50 1580 mg/kg (rat)

**Primary irritant effect:****Skin corrosion/irritation** Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

**Additional ecological information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 9)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 8)

Do not allow product to reach ground water, water course or sewage system.  
 Must not reach sewage water or drainage ditch undiluted or unneutralised.  
 Danger to drinking water if even small quantities leak into the ground.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

HP3 Flammable

HP8 Corrosive

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR, IMDG, IATA

UN1197

#### 14.2 UN proper shipping name

ADR

1197 EXTRACTS, LIQUID

IMDG

EXTRACTS, LIQUID

IATA

Extracts, liquid

#### 14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

3 Flammable liquids.

Label

3

#### 14.4 Packing group

ADR, IMDG, IATA

III

#### 14.5 Environmental hazards:

Not applicable.

#### 14.6 Special precautions for user

Warning: Flammable liquids.

#### Hazard identification number (Kemler code):

30

EMS Number:

F-E,S-D

Stowage Category

A

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

#### Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BLACK BERRY 899-D/31

(Contd. of page 9)

Transport category	3
Tunnel restriction code	D/E
<hr/>	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, III

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

(Contd. on page 11)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

**Trade name: BLACK BERRY 899-D/31**

(Contd. of page 10)

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H411 Toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:** Regulatory Affairs department**Contact:**

Regulatory Affairs department  
regulatory@vioryl.gr

**Date of previous version:** 22.11.2024**Version number of previous version:** 1**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**