

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: BUTTER EXTRACT CONC 1710/15

Article number: 23084000

UFI:

4YDH-MOWP-J00R-4WP5

The product does not contain any nanomaterials.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Life cycle stages IS Use at industrial Sites

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC28 Perfumes, fragrances

Technical function Food flavouring

Application of the substance / the mixture

Flavouring agents

Food

Uses advised against Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

VIORYL S.A.

28th km Athens - Lamia Nat. Road

Afidnes, 190 14

Greece

+30 22950 45100

regulatory@vioryl.gr

Further information obtainable from: Regulatory Affairs Department

1.4 Emergency telephone number:

Poison centre

(+30) 210 7793777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 1)

Hazard pictograms

GHS05 GHS07

Signal word Danger**Hazard-determining components of labelling:**

butyric acid

Diacetyl

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.* **SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**CAS: 107-92-6 butyric acid ≥5–≤10%

EINECS: 203-532-3 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302

CAS: 431-03-8 Diacetyl ≥1–≤2.5%

EINECS: 207-069-8 Flam. Liq. 2, H225; Acute Tox. 3, H331; STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317

CAS: 121-32-4 Ethyl vanillin ≤2.5%

EINECS: 204-464-7 Eye Irrit. 2, H319

CAS: 105-54-4 ethyl butyrate ≤2.5%

EINECS: 203-306-4 Flam. Liq. 3, H226; Eye Irrit. 2, H319

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 2)

Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (6-METHYL COUMARIN, VANILLIN)

Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.**5.3 Advice for firefighters****Protective equipment:** Mouth respiratory protective device.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions:

Keep container tightly sealed.
Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 431-03-8 Diacetyl

TWA (Greece) Short-term value: 0.36 mg/m³, 0.1 ppm
Long-term value: 0.07 mg/m³, 0.02 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 4)

Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Tightly sealed goggles

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

Physical state	Fluid
Colour:	Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	164 °C (CAS: 107-92-6 butyric acid)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	2.6 Vol % (CAS: 57-55-6 Propylene glycol)
Upper:	12.6 Vol % (CAS: 57-55-6 Propylene glycol)
Flash point:	70–100 °C
Auto-ignition temperature:	371 °C (CAS: 57-55-6 Propylene glycol)
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	soluble (0,1%)
alcohols:	Partly soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	0.2 hPa (CAS: 57-55-6 Propylene glycol)

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 5)

Density and/or relative density

Density at 20 °C:	1.092–1.132 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information**Appearance:**

Form: Oily

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

Organic solvents: 57.6 %

Water: 4.1 %

VOC (EC) 57.56 %

VOCV (CH) 0.00 %

Solids content: 2.5 %

Refractive index 1.44-1.45

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void

Flammable gases Void

Aerosols Void

Oxidising gases Void

Gases under pressure Void

Flammable liquids Void

Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquids Void

Pyrophoric solids Void

Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 6)

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral LD50 28468 mg/kg (rat)

Inhalative LC50/4 h 188 mg/l

CAS: 107-92-6 butyric acid

Oral LD50 2000 mg/kg (rat)

Dermal LD50 530 mg/kg (rabbit)

CAS: 431-03-8 Diacetyl

Oral LD50 1580 mg/kg (rat)

CAS: 121-32-4 Ethyl vanillin

Oral LD50 1590 mg/kg (rat)

CAS: 105-54-4 ethyl butyrate

Oral LD50 13000 mg/kg (rat)

Primary irritant effect:**Skin corrosion/irritation** Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** May cause an allergic skin reaction.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects****Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**European waste catalogue**

HP8 Corrosive

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN1760

14.2 UN proper shipping name

ADR

1760 CORROSIVE LIQUID, N.O.S. (BUTYRIC ACID)

IMDG

CORROSIVE LIQUID, N.O.S. (BUTYRIC ACID)

IATA

Corrosive liquid, n.o.s. (BUTYRIC ACID)

14.3 Transport hazard class(es)

ADR, IMDG, IATA

**Class**

8 Corrosive substances.

Label

8

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Segregation groups

(SGG1) Acids

Stowage Category

A

Stowage Code

SW2 Clear of living quarters.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 8)

14.7 Maritime transport in bulk according to IMO instruments Not applicable.**Transport/Additional information:****ADR****Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

E

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (BUTYRIC ACID), 8, III

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 120-57-0 piperonal: 1

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 120-57-0 piperonal: 1

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.*** SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H225 Highly flammable liquid and vapour.

(Contd. on page 10)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 2 (replaces version 1)

Revision: 22.11.2024

Trade name: BUTTER EXTRACT CONC 1710/15

(Contd. of page 9)

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS: Regulatory Affairs department**Contact:**

Regulatory Affairs department
regulatory@vioryl.gr

Date of previous version: 01.07.2024**Version number of previous version:** 1**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

*** Data compared to the previous version altered.**